

Humedad de Granos

34.301

1/4

ABR/ 15

FARMEX
made in USA



A6145006

DICKEY-john
made in USA



A6145537 / A6145553

| CÓDIGO | A6145006 | A6145537 | A6145553 |
|--|---|---|--------------------------|
| Mide | Humedad | | Humedad, Peso Hectolitro |
| Tipos de granos | 40 | 20 seleccionables entre 450 calibraciones | |
| Rango | 5 - 40% | 5 - 45%, dependiendo tipo de granos | |
| Repetibilidad | ± 0,5% | ± 0,2% | |
| Temperatura de grano | 0 + 45 °C | | |
| Compensación temperatura | Automático | | |
| Tipo de grano | Grano entero, no muestra preparada | | |
| Conexión USB para carga de calibraciones | No | Si | |
| Tiempo análisis | 10 segundos | 11 segundos | |
| Temperatura trabajo | 1 + 49 °C | | |
| Humedad | 5 - 95%, no condensada | | |
| Incluye | Estuche | ---- | |
| Alimentación | 2 pilas 9V | 1 batería 9V | |
| CÓDIGO | DESCRIPCIÓN | | |
| A6145685 | Batería de litio de 9 volts de repuesto para medidorede larga duración, hasta 7 a 9 horas de uso continuo | | |

NOTA: Los rangos para cada tipo de granos pueden variar sin previo aviso según lo determine el fabricante.


Humedad de Granos

34.301


2 / 4

ABR / 15

TIPOS DE GRANOS PARA CODIGO A6145006

| | | |
|--|------------------------|---------------|
|  | - Arroz mediano | 8,0 - 22,0 % |
| | - Arroz largo | 8,0 - 22,0 % |
| | - Avena | 6,0 - 23,0 % |
| | - Cebada | 7,0 - 25,0 % |
| | - Centeno | 8,0 - 19,5 % |
| | - Colza | 7,0 - 15,0 % |
| | - Girasol aceite | 4,0 - 20,0 % |
| | - Girasol pipas | 6,0 - 22,0 % |
| | - Maíz humedo | 15,0 - 40,0 % |
| | - Maíz seco | 6,0 - 22,0 % |
| | - Soya | 8,0 - 22,0 % |
| | - Sorgo | 9,0 - 21,0 % |
| | - Trigo duro | 8,0 - 20,0 % |
| | - Trigo duro primavera | 8,0 - 22,0 % |
| | - Trigo duro invierno | 7,0 - 21,0 % |
| - Trigo blando invierno | 8,0 - 22,0 % | |
| - Linaza | 5,0 - 17,0 % | |
| <p>y otros: alfalfa, pienso, alpiste, azafrán, dátilo, festuca, fleo, garbanzos, guisante, guisante forraje, guisante seco, judías, lentejas, lino, maíz blanco, mijo, mostaza, trebol blanco, terbol púrpura, trigo blando, trigo, lupino amarillo, sarraceno y triticale.</p> | | |

TIPOS DE GRANOS PARA CODIGOS A6145537, A6145553

| | | |
|--|------------------------------------|---|
|  | Amarantha 11-18% | Buckwheat 8-23% |
| | Amaranthus 6-16% | Buckwheat Ble Noir 8-25 |
| | Amaranto 11-18% | Cabbage Seed 6-20% |
| | Alafafa Seed 4-12% | Camerao 2-30% |
| | Alfafa 7-22% | Candy 1-8% |
| | Alfafa Guabi 6-17% | Candy Hard 1-5% |
| | Apricots Dried 22-24% | Canola/Rapeseed 4-15% |
| | Bakery Products 3-13% | Carrot 8-30% |
| | Barley 8-29% | Cat Fish Food 9-16% |
| | Barley Cebada 8-24% | Cat Food Pellets 1-15% |
| | Barley Flaked 8-21% | Cat Food Special 7-14% |
| | Barley Six Rowed 8-26% | Cat Litter Clay 1-10% |
| | Barley Spring Sommergerste 8-25% | Cherries Dried 10-15% |
| | Barley Two Rowed & Six Rowed 8-24% | Cherries Organically Grown Dried 18-24% |
| | Barley Two Rowed 8-26% | Cheto Pellets Ground 19-29% |
| | Barley W. Gerste 8-25% | Cheto Pellets Predried 5-30% |
| | Barley Winter 8-25% | Cheto Pellets Tailings 14-34% |
| | Barley Winter Escourgeon 8-25% | Chick Feed F-1 5-15% |
| | Bean Paardebonden 7-27% | Chick Feed F-2 Harina 6-13% |
| | Bean 8-28% | Chicory 5-25% |
| | Bean Baby Lima 8-18% | Citrus 9-12% |
| | Bean Black 8-70% | Citrus Pellets 5-15% |
| | Bean Black Turtle 8-22% | Citrus Pulp 8-15% |
| | Bean Blackeye 8-18% | Clover Red 5-20% |
| | Bean Blanched 33-60% | Cocoa 5-22% |
| | Bean Cranberry 8-20% | Cocoa beans 3-25% |
| | Bean Garbanzo 6-18% | Cocoa Farelo De Cacau 3-17% |
| | Bean Great Northern 9-24% | Coffee 25-55% |
| | Bean Great Northern White 15-41% | Coffee Arabica 5-12% |
| | Bean Horsebean 5-20% | Coffee Bean 6-26% |
| | Bean Horsebean Feverole 7-27% | Coffee Cafe 15-41% |
| | Bean Kidney 8-20% | Coffee Columbia & JCS 8-30% |
| | Bean Large Lima 9-15% | Coffee Columbian Roasted 8-15% |
| | Bean Light Red Kidney 8-70% | Coffee Decaf Roasted 2-13% |
| | Bean Pea 8-20% | Coffee Decaffeinated 8-65% |
| | Bean Pink 8-20% | Coffee Fresh Roasted 3-8% |
| | Bean Pinto 10-31% | Coffee Green 6-20% |
| | Bean Proteic Pissello Prot 10-40% | Coffee Green Beans 5-15% |
| | Bean Red Kidney 8-70% | Coffee Ground Roasted 3-8% |
| | Bean Small Red 8-18% | Coffee JIM & SKW 8-30% |
| | Bean Small White 8-20% | Coffee Parchment 5-40% |
| | Beans Fei Jao 8-32% | Coffee PreDried 2-12% |
| | Beans Yelloweye 10-18% | Coffee Pre-Dried Green Beans 3-8% |
| | Bran 13-18% | Coffee Roasted 2-13% |
| | Bran Farela Diversos 5-20% | Coffee Robusta 8-23% |
| Bran Gado Farelo 8-29% | Coffee Steamed Green 5-13% | |
| Brewers Milled Rice 10-15% | Coffee Tchibo 3-18% | |
| <p>NOTA: Los rangos para cada tipo de granos pueden variar sin previo aviso según lo determine el fabricante.</p> | | |

TIPOS DE GRANOS PARA CODIGOS A6145537, A6145553



| | |
|--|--------------------------------------|
| Coffee Tex Blend2 9-35% | Meat and Bone 2-6% |
| Coffee Whole Green Bean 3-15% | Meat Meal 3-13% |
| Coffee Whole Roasted 3-8% | Millet 5-22% |
| Corn 9-45% | Milho Brasil 8-40% |
| Corn Mais 8-45% | Minerals Guabi minerals 0-10% |
| Corn Maize10-22% | Mustard 8-25% |
| Corn Low Moisture 9-49% | Nut Almond Blanched Slivered 4-10% |
| Corn Amylose 9-22% | Nut Almond Seed 4-30% |
| Corn BD correction for Canada 10-22% | Nut Cashew 8-32% |
| Corn Beans 15-32% | Nut Filberts 1-10% |
| Corn Dry Mais Stroocken 10-20% | Nut Mani Valencia 5-30% |
| Corn Flaked 17-27% | NUT Meats Chopped 3-22% |
| Corn Gluten Meal Protenose 5-25% | Nut Peanut 5-30% |
| Corn Grits 12-17% | Nut Peanut Runner 4-40% |
| Corn High Moisture 3-59% | Nut Peanut Valencia 4-51% |
| Corn High Moisture Mais Feucht 8-45% | Nut Peanut Virginia 4-43% |
| Corn High Moisture Maiz Alta Hum 21-40% | Nut Pecans 2-30% |
| Corn High Moisture Modified Range 10-45% | Nut Pistachios 4-36% |
| Corn High Oil 6-30% | Nut Raw Peanut 5-30% |
| Corn High Test Weight 10-22% | Nut Walnut 8-65% |
| Corn Mais Sauf Wazy 8-35% | Nut Guabi farelo de amendoim 4-8% |
| Corn Mais Waxy 13-33% | Oat Flakes 7-22% |
| Corn Mais Zonder Waxy 8-45% | Oats 5-25% |
| Corn Meal 9-15% | Oatmeal Guabi farinha de carne 3-19% |
| Corn Product 15-28% | Oats Avena 7-29% |
| Corn Rolled 10-22% | Oats Aveia Laminada 5-28% |
| Corn Steamed Flaked 12-18% | Oats Avena 8-21% |
| Corn Sweet 30-60% | Oats Avoine 8-25% |
| Corn Tetuo Hara 10-32% | Oats Groats 6-15% |
| Corn Waxy 10-19% | Oats Guabi Aveia lam. 5-11% |
| Corn-A 10-22% | Oats Hafer 8-25% |
| Corn-A High Moisture 21-40% | Oats Low Test Weight 9-14% |
| Cotton F. Algodao 6-18% | Onion 8-25% |
| Cotton Seed Meal 6-19% | Okra-Bhendi-ladies 8-30% |
| Dog Food 6-25% | Pea Chick Pea 6-18% |
| Dried Distiller's Grain 4-21% | Pea Erbsen 5-40% |
| Dry Feed and Soluble 0-10% | Pea Ervilha 11-30% |
| Extruded Feed 3-15% | Pea Fodder Futtererbsen 12-26% |
| Extrusada 5-15% | Pasta shells 5-22% |
| Feather Meal 8-15% | Pasta Macaroni Elbow whole 8-26% |
| Feed Combined 2-29% | Pea 11-30% |
| Feed Grain 13-30% | Pellets C. Milho Laminado 8-27% |
| Feed 4 types combined 5-20% | Pellets Milho 5-20% |
| Feed Extruded 5-15% | Peperone 12-25% |
| Feed Finished 10-18% | Pineapple Dried 8-14% |
| Feed Ground Commodity 10-17% | Popcorn Yellow Pizingallo Amar 6-26% |
| Feed Particula Atletas 8-14% | Popcorn White Pizingallo BCO 9-25 |
| Feed Purified 3-9% | Polpa citrica 7-13% |
| Feed Racao Laminado 10-25% | Popcorn Yellow 8-28% |
| Feed Racao Triturada 5-20% | Potato Hash Brown 3-13% |
| Feed Starter 9-15% | Primrose 8-20% |
| Fescue Festuca 9-24% | Pumpkin Seed 7-24% |
| Fescue Red 5-30% | Radish 8-25% |
| Flax 7-23% | Rapeseed/Canola 6- 23% |
| Flaxseed 5-15% | Raps 5-16% |
| Feed Guabi refinazil 5-20% | Rice 8-22% |
| Feed L. Equinos 9-23% | Rice Arroz Gr Medio 10-28% |
| Feed L.Gado P. 2-26% | Rice Brewers Milled 10-15% |
| Feed Linha Pelletizada Diversos 5-20% | Rice Brown 11-18% |
| Feed Livestock Pellets 9-16% | Rice Calmochi (California) 12-30% |
| Feed Nutripeixe SI 6-11% | Rice Calrose Paddy 10-27% |
| Flaxseed 5-15% | Rice El Passo 12-27% |
| Grass Ha Galetta 8-28% | Rice FC Brown 7-14% |
| Gluten 8-26% | Rice Guabi Arroz Cru 6-14% |
| Gum Salvage Fresh Spearmint 2-5% | Rice Inga Brown 9-17% |
| Kespedeza Korean 7-17% | Rice Intergral 12-17% |
| Laminados 8-22% | Rice Long Grain 8-26% |
| Lentils 7-15% | Rice Meal Fat 8-12% |
| Lentil Seed 9-20% | Rice Medium Grain 8-30% |
| Linseed 5-30% | Rice Milled 10-20% |
| Lupine 8-25% | Rice Paddy 10-30% |
| Lupine Seed 6-20% | Rice Parboiled 12-20% |
| Malt 20-55% | Rice Parboiled Milled 9-17% |
| Mani Virginia 5-30% | Rice Pelde Brown 11-18% |

NOTA: Los rangos para cada tipo de granos pueden variar sin previo aviso según lo determine el fabricante.

TIPOS DE GRANOS PARA CODIGOS A6145537, A6145553



Rice Pelde Paddy 10-27%
Rice Pelde White 10-16%
Rice Raw Paddy 8-35%
Rice Second Head Milled 10-15%
Rice Short and Medium Grain 9-30%
Rice Short Grain 8-28%
Rice Steamed 15-25%
Rice Tacuari's 12-23%
Rice Thai 8-35%
Rice Thai 8-35%
Rice Wild 5-25%
Rye 8-45%
Rye Centenoc 8-29%
Rye grass 7-27%
Rye Roggen 8-25%
Rye Segala 8-29%
Rye Seigle 8-25%
Safflower 3-20%
Salvado Bran 8-28%
Sawdust 9-50%
Seed Bird 8-21%
Seed Jute 5-18%
Seed Lettuce 3-23%
Seed Sugarbeet 6-23%
Seed Watermelon 4-13%
Seed Watermelon 5-20%
Sesame 5-7%
Sesame 8-25%
Sesame 5-10%
Sorghum/Milo 9-48%
Sorgo 10-25%
Soybean Cracks 9-14%
Soybean Hulls 4-20%
Soybean Meal 2-20%
Soybean Pellets 9-16%
Soybean Soja 7-28%
Soybeans 8-40%
Soymeal 8-13%
Sugar Beet Seed 5-57%
Sunflower 8-25%
Sunflower Girasole 3-27%
Sunflower Oil 15-68%
Sunflower Seed oil-type 4-22%
Sunflower Sonnenblume 6-23%
Sunflower White Confectionary 7-14%
Sunflower Zonnebloem 6-23%
Timothy 6-30%
Tobacco 5-25%
Tobacco Burley 14-29%
Tobacco Bu-stem 0-21%
Tobacco Dark Fired 11-25%
Tobacco Dyrgyz Dubek 9-26%
Tobacco Flue Cured 7-20%
Tobacco Malasia 10-19%
Tobacco Muratti 8-17%
Tobacco Oriental 11-17%
Tobacco 9-25%
Tomato 5-15%
Tomato 5-7%
Tournesol 6-23%
Tournesol 6-23%
Tournesol Oleique 6-14%
Tritical 8-25%
Vetch Vesce 12-25%
Vlas Olieachtig 6-18%
Wheat 8-34%
Wheat Durum 4-30%
Wheat Eastern Red 6-20%
Wheat Eastern White 8-22%
Wheat Flaked 15-24%
Wheat Hard Grano Duro 8-29%
Wheat Hard Red Spring 8-26%
Wheat Hard Red Winter 7-25%
Wheat Hard White 6-20%

Wheat Kotuku 10-17%
Wheat Midds 10-16%
Wheat Red Spring 7-20%
Wheat Red Winter 6-20%
Wheat Soft Grano Tenero 8-25%
Wheat Soft Red Winter 8-34%
Wheat Soft White 8-28%
Wheat Tarwe 8-25%
Wheat Weisen 8-25%
Wheat Western White 8-22%
Wheat Western Winter 8-22%
Wheat White Flakes 10-22%
Whey 5-20%
Wikkezaad 12-25%
Yeast 3-25%

NOTA: Los rangos para cada tipo de granos pueden variar sin previo aviso según lo determine el fabricante.